Brain Research, 608 (1993) 358–360
© 1993 Elsevier Science Publishers B.V. All rights reserved 0006-8993/93/$06.00

Author Index

Abercrombie, E.D., see DeBoer, P. (608) 198
Abercrombie, E.D., see Nisenbaum, L.K. (608) 280
Abramsky, O., see Brenner, T. (608) 273
Akesson, T.R.
Androgen concentration by a sexually dimorphic population of tachykinin-immunoreactive neurons in the rat ventral premammillary nucleus (608) 319
Akiguchi, I., see Shimada, A. (608) 266

Baumann, M.H. and Rothman, R.B.
Effects of acute and chronic cocaine on the activity of tuberoinfundibular dopamine neurons in the rat (608) 175
Beitz, A.J., see Lee, J.-H. (608) 324
Belknap, J.K., see Marek, P. (608) 353
Berkenbosch, F., see Molenaar, G.J. (608) 169
Berry, S.D., see Swain, C.G.O.R.A. (608) 150
Björkstrand, E., see Lundeberg, T. (608) 181
Bongianni, F., see Christenson, J. (608) 58
Brenner, T., Yamin, A., Abramsky, O. and Gallily, R.
Stimulation of tumor necrosis factor-α production by mycoplasmas and inhibition by dexamethasone in cultured astrocytes (608) 273
Browning, M., see Smith, D.A. (608) 259
Bures, J., see Koroleva, V.I. (608) 107

Calvet, J., see Calvet, M.-C. (608) 299
Calvet, M.-C., Levallois, C., Calvet, J. and Kamenka, J.-M.
GABAergic neurons in human spinal cord cultures: a computer-aided analysis of normal and thienyl-phencyclidine-treated cells (608) 299
Cao, Z., see Lin, F.-h. (608) 101
Castiglia, C.M., see LoPachin, R.M. (608) 238
Chiaia, N.L., see Dun, N.J. (608) 223
Christenson, J., Hill, R.H., Bongianni, F. and Grillner, S.
Presence of low voltage activated calcium channels distinguish touch from pressure sensory neurons in the lamprey spinal cord (608) 58
Clarencon, D., Galonnier, M., Testylier, G. and Fatome, M.
Influence of the radioprotective agent WR 2721 on the striatal acetylcholinesterase activity in the rat (608) 155
Clemens, J.A., see Robison, P.M. (608) 334
Cohen, G., see Slivka, A. (608) 33
Cooper, S.J. and Van der Hoek, G.A.
Cocaine: a microstructural analysis of its effects on feeding and associated behaviour in the rat (608) 45

Dark, J., see Ruby, N.F. (608) 1
DeBoer, P., Abercrombie, E.D., Heeringa, M. and Westerink, B.H.C.
Differential effect of systemic administration of bromocriptine and L-DOPA on the release of acetylcholine from striatum of intact and 6-OHDA-treated rats (608) 198
Dun, N.J., Dun, S.L. and Chiaia, N.L.
Hemorrhage induces Fos immunoreactivity in rat medullary catecholaminergic neurons (608) 223
Dun, S.L., see Dun, N.J. (608) 223
Dunwiddie, T.V., see Smith, D.A. (608) 259
Dupont, S.A., see Meyer, J.S. (608) 129

Eckert, M., see Elekes, K. (608) 191
Elekes, K., Eckert, M. and Rapus, J.
Small sets of putative interneurons are octopamine-immunoreactive in the central nervous system of the pond snail, *Lymnaea stagnalis* (608) 191
Emerson, C.S., Headrick, J.P. and Vink, R.
Estrogen improves biochemical and neurologic outcome following traumatic brain injury in male rats, but not in females (608) 95

Fatome, M., see Clarencon, D. (608) 155
Fitzgerald, L.W., Ratty, A.K., Teitler, M., Gross, K.W. and Glick, S.D.
Specificity of behavioral and neurochemical dysfunction in the chakragati mouse: a novel genetic model of a movement disorder (608) 247
Frederickson, C.J., see Mandava, P. (608) 115
Fujimoto, K., Machidori, H., Iwakiri, R., Yamamoto, K., Fujisaki, J., Sakata, T. and Tso, P.
Effect of intravenous administration of apolipoprotein A-IV on patterns of feeding, drinking and ambulatory activity of rats (608) 233
Fujisaki, J., see Fujimoto, K. (608) 233

Gallily, R., see Brenner, T. (608) 273
Galonnier, M., see Clarencon, D. (608) 155
Garcia-Segura, L.M., see Pérez, J. (608) 38
Gebreyesus, K., Kilbourne, E.J. and Sabban, E.L.
Bradykinin elevates tyrosine hydroxylase and dopamine β-hydroxylase mRNA levels in PC12 cells (608) 345
Gillin, J.C., see Zoltoski, R.K. (608) 186
Glick, S.D., see Fitzgerald, L.W. (608) 247
Grillner, S., see Christenson, J. (608) 58
Gross, K.W., see Fitzgerald, L.W. (608) 247

Hayden, M.R., see Tooyama, I. (608) 78
Headrick, J.P., see Emerson, C.S. (608) 95
Heeringa, M., see DeBoer, P. (608) 198
Heron, A., Lasbennes, F. and Seylaz, J.
Adenosine modulation of amino acid release in rat hippocampus during ischemia and veratridine depolarization (608) 27
Hill, R.H., see Christenson, J. (608) 58
Hoffman, G.E., see Pezzone, M.A. (608) 310
Honda, Y., see Kondo, Y. (608) 204
Hosford, D.A., see Lin, F.-h. (608) 101
Houk, J.C., see Keifer, J. (608) 349
Howell, G.A., see Mandava, P. (608) 115

Ishida, N., Kasamo, K., Nakamoto, Y. and Suzuki, J.
Epileptic seizure of El mouse initiates at the parietal cortex: depth EEG observation in freely moving condition using buffer amplifier (608) 52
Iwakiri, R., see Fujimoto, K. (608) 233

Kamenka, J.-M., see Calvet, M.-C. (608) 299
Kasamo, K., see Ishida, N. (608) 52
Kato, N.
Synaptic *N*-methyl-D-aspartate receptors in the neonatal rat visual cortex are less sensitive to MK-801 than in adult (608) 166
Keifer, J. and Houk, J.C.
Intrinsic and synaptic properties of turtle red nucleus neurons in vitro (608) 349
Kilbourne, E.J., see Gebreyesus, K. (608) 345
Kimura, H., see Tooyama, I. (608) 78
Kogure, K., see Yamamoto, M. (608) 16
Kondo, Y., Takada, M., Honda, Y. and Mizuno, N.
Bilateral projections of single retinal ganglion cells to the lateral geniculate nuclei and superior colliculi in the albino rat (608) 204
Koroleva, V.I., Vinogradova, L.V. and Bures, J.
Reduced incidence of cortical spreading depression in the course of pentylenetetrazol kindling in rats (608) 107
Kremer, H.P.H., see Tooyama, I. (608) 78
Kure, S., see Tominaga, T. (608) 21

Lasbennes, F., see Heron, A. (608) 27
Lavond, D.G., see Woodruff-Pak, D.S. (608) 67
Lee, J.-H., Price, R.H., Williams, F.G., Mayer, B. and Beitz, A.J.
Nitric oxide synthase is found in some spinothalamic neurons and in neuronal processes that appose spinal neurons that express Fos induced by noxious stimulation (608) 324
Lee, W.-S., see Pezzone, M.A. (608) 310
Lehning, E., see LoPachin, R.M. (608) 238
Levallois, C., see Calvet, M.-C. (608) 299
Levine, J.D., see Miaskowski, C. (608) 87
Li, Y.-Q., Shinonaga, Y., Takada, M. and Mizuno, N.

Brain Research, 608 (1993) 358–360
© 1993 Elsevier Science Publishers B.V. All rights reserved 0006-8993/93/$06.00

Author Index

Abercrombie, E.D., see DeBoer, P. (608) 198
Abercrombie, E.D., see Nisenbaum, L.K. (608) 280
Abramsky, O., see Brenner, T. (608) 273
Akesson, T.R.
Androgen concentration by a sexually dimorphic population of tachykinin-immunoreactive neurons in the rat ventral premammillary nucleus (608) 319
Akiguchi, I., see Shimada, A. (608) 266

Baumann, M.H. and Rothman, R.B.
Effects of acute and chronic cocaine on the activity of tuberoinfundibular dopamine neurons in the rat (608) 175
Beitz, A.J., see Lee, J.-H. (608) 324
Belknap, J.K., see Marek, P. (608) 353
Berkenbosch, F., see Molenaar, G.J. (608) 169
Berry, S.D., see Swain, C.G.O.R.A. (608) 150
Björkstrand, E., see Lundeberg, T. (608) 181
Bongianni, F., see Christenson, J. (608) 58
Brenner, T., Yamin, A., Abramsky, O. and Gallily, R.
Stimulation of tumor necrosis factor-α production by mycoplasmas and inhibition by dexamethasone in cultured astrocytes (608) 273
Browning, M., see Smith, D.A. (608) 259
Bures, J., see Koroleva, V.I. (608) 107

Calvet, J., see Calvet, M.-C. (608) 299
Calvet, M.-C., Levallois, C., Calvet, J. and Kamenka, J.-M.
GABAergic neurons in human spinal cord cultures: a computer-aided analysis of normal and thienyl-phencyclidine-treated cells (608) 299
Cao, Z., see Lin, F.-h. (608) 101
Castiglia, C.M., see LoPachin, R.M. (608) 238
Chiaia, N.L., see Dun, N.J. (608) 223
Christenson, J., Hill, R.H., Bongianni, F. and Grillner, S.
Presence of low voltage activated calcium channels distinguish touch from pressure sensory neurons in the lamprey spinal cord (608) 58
Clarencon, D., Galonnier, M., Testylier, G. and Fatome, M.
Influence of the radioprotective agent WR 2721 on the striatal acetylcholinesterase activity in the rat (608) 155
Clemens, J.A., see Robison, P.M. (608) 334
Cohen, G., see Slivka, A. (608) 33
Cooper, S.J. and Van der Hoek, G.A.
Cocaine: a microstructural analysis of its effects on feeding and associated behaviour in the rat (608) 45

Dark, J., see Ruby, N.F. (608) 1
DeBoer, P., Abercrombie, E.D., Heeringa, M. and Westerink, B.H.C.
Differential effect of systemic administration of bromocriptine and L-DOPA on the release of acetylcholine from striatum of intact and 6-OHDA-treated rats (608) 198
Dun, N.J., Dun, S.L. and Chiaia, N.L.
Hemorrhage induces Fos immunoreactivity in rat medullary catecholaminergic neurons (608) 223
Dun, S.L., see Dun, N.J. (608) 223
Dunwiddie, T.V., see Smith, D.A. (608) 259
Dupont, S.A., see Meyer, J.S. (608) 129

Eckert, M., see Elekes, K. (608) 191
Elekes, K., Eckert, M. and Rapus, J.
Small sets of putative interneurons are octopamine-immunoreactive in the central nervous system of the pond snail, *Lymnaea stagnalis* (608) 191
Emerson, C.S., Headrick, J.P. and Vink, R.
Estrogen improves biochemical and neurologic outcome following traumatic brain injury in male rats, but not in females (608) 95

Fatome, M., see Clarencon, D. (608) 155
Fitzgerald, L.W., Ratty, A.K., Teitler, M., Gross, K.W. and Glick, S.D.
Specificity of behavioral and neurochemical dysfunction in the chakragati mouse: a novel genetic model of a movement disorder (608) 247
Frederickson, C.J., see Mandava, P. (608) 115
Fujimoto, K., Machidori, H., Iwakiri, R., Yamamoto, K., Fujisaki, J., Sakata, T. and Tso, P.
Effect of intravenous administration of apolipoprotein A-IV on patterns of feeding, drinking and ambulatory activity of rats (608) 233
Fujisaki, J., see Fujimoto, K. (608) 233

Gallily, R., see Brenner, T. (608) 273
Galonnier, M., see Clarencon, D. (608) 155
Garcia-Segura, L.M., see Pérez, J. (608) 38
Gebreyesus, K., Kilbourne, E.J. and Sabban, E.L.
Bradykinin elevates tyrosine hydroxylase and dopamine β-hydroxylase mRNA levels in PC12 cells (608) 345
Gillin, J.C., see Zoltoski, R.K. (608) 186
Glick, S.D., see Fitzgerald, L.W. (608) 247
Grillner, S., see Christenson, J. (608) 58
Gross, K.W., see Fitzgerald, L.W. (608) 247

Hayden, M.R., see Tooyama, I. (608) 78
Headrick, J.P., see Emerson, C.S. (608) 95
Heeringa, M., see DeBoer, P. (608) 198
Heron, A., Lasbennes, F. and Seylaz, J.
Adenosine modulation of amino acid release in rat hippocampus during ischemia and veratridine depolarization (608) 27
Hill, R.H., see Christenson, J. (608) 58
Hoffman, G.E., see Pezzone, M.A. (608) 310
Honda, Y., see Kondo, Y. (608) 204
Hosford, D.A., see Lin, F.-h. (608) 101
Houk, J.C., see Keifer, J. (608) 349
Howell, G.A., see Mandava, P. (608) 115

Ishida, N., Kasamo, K., Nakamoto, Y. and Suzuki, J.
Epileptic seizure of El mouse initiates at the parietal cortex: depth EEG observation in freely moving condition using buffer amplifier (608) 52
Iwakiri, R., see Fujimoto, K. (608) 233

Kamenka, J.-M., see Calvet, M.-C. (608) 299
Kasamo, K., see Ishida, N. (608) 52
Kato, N.
Synaptic *N*-methyl-D-aspartate receptors in the neonatal rat visual cortex are less sensitive to MK-801 than in adult (608) 166
Keifer, J. and Houk, J.C.
Intrinsic and synaptic properties of turtle red nucleus neurons in vitro (608) 349
Kilbourne, E.J., see Gebreyesus, K. (608) 345
Kimura, H., see Tooyama, I. (608) 78
Kogure, K., see Yamamoto, M. (608) 16
Kondo, Y., Takada, M., Honda, Y. and Mizuno, N.
Bilateral projections of single retinal ganglion cells to the lateral geniculate nuclei and superior colliculi in the albino rat (608) 204
Koroleva, V.I., Vinogradova, L.V. and Bures, J.
Reduced incidence of cortical spreading depression in the course of pentylenetetrazol kindling in rats (608) 107
Kremer, H.P.H., see Tooyama, I. (608) 78
Kure, S., see Tominaga, T. (608) 21

Lasbennes, F., see Heron, A. (608) 27
Lavond, D.G., see Woodruff-Pak, D.S. (608) 67
Lee, J.-H., Price, R.H., Williams, F.G., Mayer, B. and Beitz, A.J.
Nitric oxide synthase is found in some spinothalamic neurons and in neuronal processes that appose spinal neurons that express Fos induced by noxious stimulation (608) 324
Lee, W.-S., see Pezzone, M.A. (608) 310
Lehning, E., see LoPachin, R.M. (608) 238
Levallois, C., see Calvet, M.-C. (608) 299
Levine, J.D., see Miaskowski, C. (608) 87
Li, Y.-Q., Shinonaga, Y., Takada, M. and Mizuno, N.

Demonstration of axon terminals of projection fibers from the periaqueductal gray onto neurons in the nucleus raphe magnus which send their axons to the trigeminal sensory nuclei (608) 138
Licht, P., see Ruby, N.F. (608) 1
Liebeskind, J.C., see Marek, P. (608) 353
Lin, F.-h., Cao, Z. and Hosford, D.A.
Increased number of $GABA_B$ receptors in the lethargic (*lh/lh*) mouse model of absence epilepsy (608) 101
Logan, C.G., see Woodruff-Pak, D.S. (608) 67
LoPachin, R.M., Castiglia, C.M., Lehning, E. and Saubermann, A.J.
Effects of acrylamide on subcellular distribution of elements in rat sciatic nerve myelinated axons and Schwann cells (608) 238
Lugard, C.M.J.E., see Molenaar, G.J. (608) 169
Lundeberg, T., Meister, B., Björkstrand, E. and Uvnäs-Moberg, K.
Oxytocin modulates the effects of galanin in carrageenan-induced hyperalgesia in rats (608) 181
Luquín, S., see Pérez, J. (608) 38

Machidori, H., see Fujimoto, K. (608) 233
Mandava, P., Howell, G.A. and Frederickson, C.J.
Zinc-containing neuronal innervation of the septal nuclei (608) 115
Marek, P., Mogil, J.S., Belknap, J.K., Sadowski, B. and Liebeskind, J.C.
Levorphanol and swim stress-induced analgesia in selectively bred mice: evidence for genetic commonalities (608) 353
Marszalec, W. and Narahashi, T.
Use-dependent pentobarbital block of kainate and quisqualate currents (608) 7
May, P.C., see Robison, P.M. (608) 334
Mayer, B., see Lee, J.-H. (608) 324
McGeer, E.G., see Tooyama, I. (608) 78
McGeer, P.L., see Tooyama, I. (608) 78
Meister, B., see Lundeberg, T. (608) 181
Meyer, J.S. and Dupont, S.A.
Prenatal cocaine administration stimulates fetal brain tyrosine hydroxylase activity (608) 129
Miaskowski, C., Taiwo, Y.O. and Levine, J.D.
Antinociception produced by receptor selective opioids. Modulation of supraspinal antinociceptive effects by spinal opioids (608) 87
Mizuno, N., see Kondo, Y. (608) 204
Mizuno, N., see Li, Y.-Q. (608) 138
Mogil, J.S., see Marek, P. (608) 353
Molenaar, G.J., Berkenbosch, F., Van Dam, A.-M. and Lugard, C.M.J.E.
Distribution of interleukin 1β immunoreactivity within the porcine hypothalamus (608) 169

Naftolin, F., see Pérez, J. (608) 38
Nakamoto, Y., see Ishida, N. (608) 52
Narahashi, T., see Marszalec, W. (608) 7
Narisawa, K., see Tominaga, T. (608) 21
Netzeband, J.G., Weathers, L.B., Strahlendorf, H.K. and Strahlendorf, J.C.
Serotonin depresses excitatory amino acid-induced excitation of cerebellar Purkinje cells in the adult rat in vivo (608) 145
Nisenbaum, L.K. and Abercrombie, E.D.
Presynaptic alterations associated with enhancement of evoked release and synthesis of norepinephrine in hippocampus of chronically cold-stressed rats (608) 280
Nojima, K., see Tanaka, J. (608) 141
Nomura, M., see Tanaka, J. (608) 141

Ohta, A., see Shimada, A. (608) 266
Ohyama, M., see Yamamoto, M. (608) 16

Peeling, J., see Tyson, R. (608) 288
Pérez, J., Luquín, S., Naftolin, F. and Garcia-Segura, L.M.
The role of estradiol and progesterone in phased synaptic remodelling of the rat arcuate nucleus (608) 38
Pezzone, K.M., see Pezzone, M.A. (608) 310
Pezzone, M.A., Lee, W.-S., Hoffman, G.E., Pezzone, K.M. and Rabin, B.S.
Activation of brainstem catecholaminergic neurons by conditioned and unconditioned aversive stimuli as revealed by c-Fos immunoreactivity (608) 310
Price, R.H., see Lee, J.-H. (608) 324

Rabin, B.S., see Pezzone, M.A. (608) 310
Ramsey, N.F. and Van Ree, J.M.
Emotional but not physical stress enhances intravenous cocaine self-administration in drug-naive rats (608) 216
Rapus, J., see Elekes, K. (608) 191
Ratty, A.K., see Fitzgerald, L.W. (608) 247
Reppert, S.M., see Roca, A.L. (608) 159
Robison, P.M., Clemens, J.A., Smalstig, E.B., Stephenson, D. and May, P.C.
Decrease in amyloid precursor protein precedes hippocampal degeneration in rat brain following transient global ischemia (608) 334
Roca, A.L., Weaver, D.R. and Reppert, S.M.
Serotonin receptor gene expression in the rat suprachiasmatic nuclei (608) 159
Rothman, R.B., see Baumann, M.H. (608) 175
Ruby, N.F., Zucker, I., Licht, P. and Dark, J.
Olfactory bulb removal lengthens the period of circannual rhythms and disrupts hibernation in golden-mantled ground squirrels (608) 1

Sabban, E.L., see Gebreyesus, K. (608) 345
Sadowski, B., see Marek, P. (608) 353
Saito, H., see Tanaka, J. (608) 141
Saitoh, S., see Yamamoto, M. (608) 16
Sakata, T., see Fujimoto, K. (608) 233
Saubermann, A.J., see LoPachin, R.M. (608) 238
Seylaz, J., see Heron, A. (608) 27
Shimada, A., Ohta, A., Akiguchi, I. and Takeda, T.
Age-related deterioration in conditional avoidance task in the SAM-P/10 mouse, an animal model of spontaneous brain atrophy (608) 266
Shinonaga, Y., see Li, Y.-Q. (608) 138
Shiromani, P.J., see Zoltoski, R.K. (608) 186
Slivka, A. and Cohen, G.
Brain ischemia markedly elevates levels of the neurotoxic amino acid, cysteine (608) 33
Smalstig, E.B., see Robison, P.M. (608) 334
Smith, D.A., Browning, M. and Dunwiddie, T.V.
Cocaine inhibits hippocampal long-term potentiation (608) 259
Sørensen, J.C., Tønder, N. and Zimmer, J.
Biocytin pellets: an alternative technique for massive anterograde labeling of neuronal pathways in vivo and in vitro (608) 338
Steinmetz, J.E., see Woodruff-Pak, D.S. (608) 67
Stephenson, D., see Robison, P.M. (608) 334
Strahlendorf, H.K., see Netzeband, J.G. (608) 145
Strahlendorf, J.C., see Netzeband, J.G. (608) 145
Sutherland, G., see Tyson, R. (608) 288
Suzuki, J., see Ishida, N. (608) 52
Swain, C.G.O.R.A. and Berry, S.D.
Hippocampal plasticity during jaw movement conditioning in the rabbit (608) 150

Taiwo, Y.O., see Miaskowski, C. (608) 87
Takada, M., see Kondo, Y. (608) 204
Takada, M., see Li, Y.-Q. (608) 138
Takahashi, K., see Yamamoto, M. (608) 16
Takeda, T., see Shimada, A. (608) 266
Tanaka, J., Nojima, K., Yamamuro, Y., Saito, H. and Nomura, M.
Responses of subfornical organ neurons projecting to the hypothalamic paraventricular nucleus to hemorrhage (608) 141
Teitler, M., see Fitzgerald, L.W. (608) 247
Testylier, G., see Clarencon, D. (608) 155
Thompson, R.F., see Woodruff-Pak, D.S. (608) 67
Tominaga, T., Kure, S., Narisawa, K. and Yoshimoto, T.
Endonuclease activation following focal ischemic injury in the rat brain (608) 21
Tønder, N., see Sørensen, J.C. (608) 338
Tooyama, I., Kremer, H.P.H., Hayden, M.R., Kimura, H., McGeer, E.G. and McGeer, P.L.
Acidic and basic fibroblast growth factor-like immunoreactivity in the striatum and midbrain in Huntington's disease (608) 78
Tso, P., see Fujimoto, K. (608) 233
Tyson, R., Peeling, J. and Sutherland, G.
Metabolic changes associated with altering blood glucose levels in short duration forebrain ischemia (608) 288

Uvnäs-Moberg, K., see Lundeberg, T. (608) 181

Van Dam, A.-M., see Molenaar, G.J. (608) 169
Van der Hoek, G.A., see Cooper, S.J. (608) 45
Van Ree, J.M., see Ramsey, N.F. (608) 216
Velazquez-Moctezuma, J., see Zoltoski, R.K. (608) 186
Vink, R., see Emerson, C.S. (608) 95
Vinogradova, L.V., see Koroleva, V.I. (608) 107

Walsh, J.P.
Depression of excitatory synaptic input in rat striatal neurons (608) 123
Weathers, L.B., see Netzeband, J.G. (608) 145
Weaver, D.R., see Roca, A.L. (608) 159
Westerink, B.H.C., see DeBoer, P. (608) 198
Williams, F.G., see Lee, J.-H. (608) 324
Woodruff-Pak, D.S., Lavond, D.G., Logan, C.G., Steinmetz, J.E. and Thompson, R.F.
Cerebellar cortical lesions and reacquisition in classical conditioning of the nictitating membrane response in rabbits (608) 67

Yamaguchi, T., see Yamamoto, M. (608) 16
Yamamoto, K., see Fujimoto, K. (608) 233
Yamamoto, M., Takahashi, K., Ohyama, M., Yamaguchi, T., Saitoh, S., Yatsugi, S. and Kogure, K.
Behavioral and histological changes after repeated brief cerebral ischemia by carotid artery occlusion in gerbils (608) 16
Yamamuro, Y., see Tanaka, J. (608) 141
Yamin, A., see Brenner, T. (608) 273
Yatsugi, S., see Yamamoto, M. (608) 16
Yoshimoto, T., see Tominaga, T. (608) 21

Zimmer, J., see Sørensen, J.C. (608) 338
Zoltoski, R.K., Velazquez-Moctezuma, J., Shiromani, P.J. and Gillin, J.C.
The relative effects of selective M_1 muscarinic antagonists on rapid eye movement sleep (608) 186
Zucker, I., see Ruby, N.F. (608) 1

(contents continued)

Decrease in amyloid precursor protein precedes hippocampal degeneration in rat brain following transient global ischemia
P.M. Robison, J.A. Clemens, E.B. Smalstig, D. Stephenson and P.C. May (USA) 334
Biocytin pellets: an alternative technique for massive anterograde labeling of neuronal pathways in vivo and in vitro
J.C. Sørensen, N. Tønder and J. Zimmer (Denmark) 338
Bradykinin elevates tyrosine hydroxylase and dopamine β-hydroxylase mRNA levels in PC12 cells
K. Gebreyesus, E.J. Kilbourne and E.L. Sabban (USA) 345
Intrinsic and synaptic properties of turtle red nucleus neurons in vitro
J. Keifer and J.C. Houk (USA) 349
Levorphanol and swim stress-induced analgesia in selectively bred mice: evidence for genetic commonalities
P. Marek, J.S. Mogil, J.K. Belknap, B. Sadowski and J.C. Liebeskind (USA, Poland) 353

Author Index 358

Contents continued 360